



H  
O  
T  
E  
L  
  
L  
O  
C  
K



*Always Ahead...*

## TEKNO ELECTRO SOLUTIONS PVT. LTD.

- HOTEL PRODUCT SUPPLIES
- RETAIL SECURITY
- SMART HOME SOLUTIONS



Est. 1997

## Tekno Electro Solutions Pvt. Ltd.

### INSPIRATION

**Tekno Electro Solutions Pvt. Ltd.** is one of the premium solution providers in Hospitality Sector, Smart Home/Office Automation, Retail Security Solution and Access Control Gate Automation & More... We pay special homage to late **Shri T.C. Chaudhary [father of Mr. Ajay Chaudhary (MD)]** whose inspiration helped us a lot to face challenging situation. In his journey of life, he crossed several milestones with his enthusiasm, willpower & Self-motivation in adverse situation.



**Lt. Sh. T.C. Chaudhary**

### ABOUT US

#### Our Mission

*"To provide superior quality Products and Services to our customers that our customers recommend us to their friends and dealers feel proud of being associated with us and employees feel dignified for being the part the Tekno Family"*

#### Our Vision

*"To become a trusted brand globally to cherish our customers, clients and associates with diligence."*

#### Our Achievements

*"Became a trusted brand globally while supplying good quality and more durable products to our customers and providing skilled excellency in our services."*

**Tekno Electro Solutions** is founded in 1997 by Mr. Ajay Chaudhary (Managing Director). He has over 20 years' experience in Electronic Security Surveillance, Communication, Point to Point Wireless and Multipoint Networking, Hospitality & Retail Sector Security Solutions Smart Home and Office Automation. He headed & successfully delivered various projects of Video Surveillance Systems, IP Cameras Networking, RFID Based Access Control Systems VSAT Technology, Boom Barrier, Hospitality & Retail Security.



**Mr. Ajay Chaudhary**  
(Managing Director)

**Tekno Electro Solutions** started its journey from various products Like EPBAX (intercom system), Security Systems and CCTV surveillance System. We have diversified our products, and launched several products in hotel segments. Some of Hot Selling models are **TES-302SB, TES-301 SB, TES-8001** (latest model) in Hotel Locks, Biometric Lock **TES-VCF01P & TES-MFP01R** in Residential Segment. We extend our range with Digital Safe, Mini Bar, Electric Kettle with Tray, Hand Dryer, Hair Dryer, Energy Saving Switches & More. Besides hotel segment, we also enhanced competitive products in **Retail Security (EAS Systems), Smart Home/Office Automation, Gate Automation to our portfolio.**

**Tekno Electro Solutions. Pvt. Ltd.** has independent & strong research & development team in Delhi, India. We have pan India dealers and distributor network. **We are expanding in abroad too; our UAE operations are already started from since 2018. We have also started our exports from India also. Recently we have successfully export our Products in Tanzania, Nepal, Papua New Guinea, Bangladesh etc.** Our techno-sales team regularly visit India & Abroad as Thailand, UAE, Oman, Sri Lanka, China, Bahrein etc. in different techno meets conferences & exhibitions. We believe in encouraging customers to contribute in the development and progression of brand in order to remain in the minds and hearts of consumers for a long run. **Tekno** products are innovative, techno proven and competitive We have not only designed the finest products at competitive prices but also have focused on 360 marketing to increase our global footprint. Our technical support team always ready to assist you for after sales- service.

**Tekno Electro Solutions Pvt. Ltd.** has been conferred with many awards for its excellence. we are honored **"The Best Hospitality Products Supplier of the year"** recently by **Mr. Sunil Shetty (Bollywood Actor)** & also we are honored in 2017 **"Best Company of Hotel Locks & Hospitality Products Award"** by **Ch. Birender Singh (Minister Steel).**

**Tekno Electro Solutions Pvt. Ltd.** is also a Member of International Association **APSA (Asian Professional Security Association)** and **FIEO (Federation of Indian Export Organisations).**

Our USP is to offer professionalism, authenticity & innovation through its security, delivery & services which reflects in our Mission & Vision.



TES Brand

*In field of electronic security  
products & solutions,*

*Since 1997*

# Model No. : TES-706SSB



## Specifications:

Working Voltage: DC3.5-6.5v, ( segments  
4 alkaline battery) TM card & mechanical key.

Battery Life: Above 18000times

Quiescent Current: <20 $\mu$ A

Dynamic Current: <1500mA

Temperature Range: -40-+85°C

Work humidity: 15-95 %RH

Metal: Stainless Steel

Weight: 2.3 kg  $\leq$  weight  $\leq$  3 Kg

Card Distance: 5 mm

Read card time: <0.2s

Card Type: TM Card

Detective method: Card close to Microwave  
Measurement, good reliability.

Door Thickness Req.: 35 – 58mm



# Hotel Door Lock



*In field of electronic security  
products & solutions,  
Since 1997*



## Specifications:

Model No: SS1020SB

Working Voltage: DC3.5-6.5v, ( segments 4 alkaline battery) TM card & mechanical key.

Battery Life: Above 18000times

Quiescent Current: <20 $\mu$ A

Dynamic Current: <1500mA

Temperature Range: -40-+85°C

Metal: Fully Stainless Steel Body

Model No: SS1020SB

## Front View


Weight: 2.5 kg  $\leq$  weight  $\leq$  3 Kg

Card Distance: 5 mm

Read card time: <0.2s

Detective method: Card close to Microwave Measurement, good reliability.

Door Thickness Req.: 35 - 58 mm




## Back View



*In field of electronic security  
products & solutions,  
Since 1997*

# SMART VIDEO DOOR LOCK



Front View



Back View



Side View

## Features:

Model No.: TES-VCF01P

door thickness: 35-60mm

Opening Method: Fingerprint, Password, Card, Mechanical Key & Mobile App

Sensor resolution: Finger point: 360° Bright background, 500 dpi

Total capacity: 300 (can be fingerprints, passwords & Cards)

Combination design: Random combination

Combination length: 6-digit

Working voltage: DC 7.4V High performance lithium battery

Power Supply Mode: battery powered

Working temperature: -10°C to 55°C


Working Humidity: 10% to 90%

# MINI SMART LOCK




In field of electronic security  
products & solutions,  
Since **1997**

## Front View



## Back View



Emergency USB Power

### Features:

Model No.: TES-MFP01R

door thickness: 32-60mm

Sensor resolution: Finger point: 360° Bright background, 500 dpi

Fingerprint capacity: 50 pieces

Number of Password: 100 groups

Static Power Consumption: <30uA

Dynamic Power Consumption: The working current is under 200mA

Combination design: Random combination

Combination length: 6-digit

Working voltage: DC 6V (Four AAA Size 1.5V batteries)

Power Supply Mode: battery powered

Working temperature: -10°C to 55°C

Working Humidity: 10% to 90%

# INTELLIGENT DOOR LOCK



**TES Brand**

*In field of electronic security  
products & solutions,*

*Since 1997*

## Specifications:

Model No.: TES-P800BT

Standard Lock body: 291\*76mm

Open the door: Bluetooth app, password, key and Card

Power supply: 6V 4 knots AA Battery Emergency

Battery life: more than 1 year normal use

Operating temperature: -18°C ~ 60°C

Relative Humidity: 20% ~ 95%

Static current:  $\leq 26\mu\text{A}$

Dynamic current:  $\leq 200\text{mA}$

Door Thickness Req.: 35 – 58mm



## Features:

- Multi-Layer Anti-corrosion plating film, Anti Oxidation, Durable.
- Anti Mention Lock : Lock the handle in an free state to protect the internal mechanical parts of the lock to avoid violent damage.
- Indoor Anti-Lock Button: Indoor reverse lock, Outdoor can not open the door to protect your home security.
- Three Anti Lock Body: Windproof anti-card anti-violence damage safety factor long life.



TES Brand

*In field of electronic security  
products & solutions,*

*Since 1997*

# RFID HOTEL LOCKING SOLUTIONS FOR THE HOSPITALITY SECTOR

Next generation card locks solutions by Tekno Electro Solutions Pvt. Ltd. Solutions to enhance your property looks and give a unique experience. Available in various designs and looks. Every solutions available to bring a synthesis between beauty and durability within your budget.



## Hotel Locks

# BENEFITS OF CARD BASED HOTEL LOCK SOLUTIONS

- ✦ ELEGANT LOOKS
- ✦ EASY TO OPERATE
- ✦ LONG DURABLE LIFE
- ✦ SMART ACCESS SOLUTIONS
- ✦ FULL RECORD OF PROPERTY USAGES
- ✦ ALL PARTS OF LOCKS REPAIRABLE
- ✦ IN ANY EMERGENCY USE MANUAL KEY EASILY
- ✦ ISSUE ANY NUMBER OF CARDS ANY TIME
- ✦ STRONG GRIP WITHIN THE PARTS OF LOCKS
- ✦ GET FULL HOTEL LOCK REPORTS JUST ON A CLICK..

## DATA COLLECTOR HANDISM



# Model No. : TES-302SB



In field of electronic products & solutions,  
Since 1997



## Specifications:

Working Voltage: DC3.5-6.5v, ( segments 4 alkaline battery) TM card & mechanical key.

Battery Life: Above 18000times

Quiescent Current: <20 $\mu$ A

Dynamic Current: <1500mA

Temperature Range: -40-+85 $^{\circ}$ C

Work humidity: 15-95 %RH

Metal: Stainless Steel

Weight: 2.3 kg  $\leq$  weight  $\leq$  3 Kg

Card Distance: 5 mm

Read card time: <0.2s

Card Type: TM Card

Detective method: Card close to Microwave Measurement, good reliability.

Door Thickness Req.: 35 – 58mm





**TES Brand**

*In field of electronic security  
products & solutions,*

*Since 1997*

# Model No. : TES-702SSB



## Specifications:

Working Voltage: DC3.5-6.5v, ( segments  
4 alkaline battery) TM card & mechanical key.

Battery Life: Above 18000times

Quiescent Current: <20 $\mu$ A

Dynamic Current: <1500mA

Temperature Range: -40-+85°C

Work humidity: 15-95 %RH

Metal: Stainless Steel

Weight: 2.3 kg  $\leq$  weight  $\leq$  3 Kg

Card Distance: 5 mm

Read card time: <0.2s

Card Type: TM Card

Detective method: Card close to Microwave  
Measurement, good reliability.

Door Thickness Req.: 35 – 58mm





**TES Brand**

*In field of electronic security  
products & solutions,*

*Since 1997*

# Model No. : TES-703SSB



## Specifications:

Working Voltage: DC3.5-6.5v, ( segments  
4 alkaline battery) TM card & mechanical key.

Battery Life: Above 18000times

Quiescent Current: <20 $\mu$ A

Dynamic Current: <1500mA

Temperature Range: -40-+85°C

Work humidity: 15-95 %RH

Metal: Stainless Steel

Weight: 2.3 kg  $\leq$  weight  $\leq$  3 Kg

Card Distance: 5 mm

Read card time: <0.2s

Card Type: TM Card

Detective method: Card close to Microwave  
Measurement, good reliability.

Door Thickness Req.: 35 – 58mm





TES Brand

*In field of electronic security  
products & solutions,*

*Since 1997*

# Model No.: TES-301SB

## Specification :

Size : 240\*76mm

Weight : 2.3 kg ≤ weight ≤ 3 Kg

Working Voltage: DC3.5-6.5v, 4 X AA alkaline battery

Battery Life: Above 18000times

Quiescent Current: <20μA

Dynamic Current: <1500mA

Temperature Range: -40+85°C

Card Distance: 5 mm

Read card time: <0.2s

Card Type: TM Card

Detective method: Card close to Microwave Measurement, good reliability.

Door Thickness Req.: 35 – 58mm



# Model No. : TES-701SB



**TES Brand**

*In field of electronic security  
products & solutions,*

*Since 1997*

## Specifications:

Working Voltage: DC3.5-6.5v, ( segments 4 alkaline battery) TM card & mechanical key.

Battery Life: Above 18000times

Quiescent Current: <20 $\mu$ A

Dynamic Current: <1500mA

Temperature Range: -40+85°C

Metal: Zinc Alloy

Weight: 2.5 kg  $\leq$  weight  $\leq$  3 Kg

Card Distance: 5 mm

Read card time: <0.2s

Detective method: Card close to Microwave Measurement, good reliability.

Door Thickness Req.: 35 – 58mm



Model: TES-701SB





*In field of electronic security  
products & solutions,*

*Since 1997*

# Model No. : TES-8002S



#### FEATURES:

Working Voltage: DC3.5-6.5v, (segments 4 alkaline batteries) TM card & mechanical key.

Battery Life: Above 18000 times

Quiescent Current: <20 $\mu$ A

Dynamic Current: <1500mA

Temperature Range: -40-+85°C

Work humidity: 15-95 %RH

Weight : 2.5 kg  $\leq$  weight  $\leq$  3 Kg

Card Distance: 5 mm

Read card time: <0.2s

Card Type: TM Card

Detective method: Card close to Microwave Measurement, good reliability.

Door Thickness Req.: 35 – 58mm

Model: TES-8002S





*In field of electronic security  
products & solutions,*

*Since 1997*

# Model No. : TES-8001B

## Specifications:

Working Voltage: DC3.5-6.5v, ( segments 4 alkaline battery) TM card & mechanical key.

Battery Life: Above 18000times

Quiescent Current: <20 $\mu$ A

Dynamic Current: <1500mA

Temperature Range: -40+85 $^{\circ}$ C

Metal: Zinc Alloy

Weight: 2.5 kg  $\leq$  weight  $\leq$  3 Kg

Card Distance: 5 mm

Read card time: <0.2s

Detective method: Card close to Microwave Measurement, good reliability.

Door Thickness Req.: 35 – 58 mm



# Model No. : TES-SPLIT



**TES Brand**

*In field of electronic security  
products & solutions,*

*Since 1997*



Model: TES-SPLIT

## Specifications:

Working Voltage: DC3.5-6.5v, (segments 4 alkaline batteries) TM card & mechanical key.

Battery Life: Above 18000 times

Quiescent Current: <20 $\mu$ A

Dynamic Current: <1500mA

Temperature Range: -40-+85°C

Work humidity: 15-95 %RH

Weight : 2.5 kg  $\leq$  weight  $\leq$  3 Kg

Card Distance: 5 mm

Read card time: <0.2s

Card Type: TM Card

Detective method: Card close to Microwave Measurement, good reliability.

Door Thickness Req.: 35 – 58 mm

- Patent design, split style
- TM Card
- Pure stainless steel panel/handle
- Polished treatment reader and handle
- PC reader with strong strength American standard 5 latches mortise
- Work with alkaline battery(4pcs AA batteries)
- Emergency key for backup use
- 300,000 times life test
- Offline system for management



BACK VIEW

# RFID CABINET LOCKS



**TES Brand**

*In field of electronic security  
products & solutions,*

*Since 1997*



## Specifications:

Working Voltage: 4.8v DC

Battery Life: more then 12 months in normal uses.

Weight : 1 kg ≤ weight ≤ 2 Kg

Card Distance: 5 mm

Read card time: <0.2s

Card Type: RFID Card

Detective method: Card close to Microwave  
Measurement, good reliability.

Door Thickness Req.: 15–38 mm

Model: TES-EM109BZ



Model: TES-EM118SB



Model: TES-EM117S



Model: TES-EM115G



Model: TES-EM139S

# ENERGY SAVING SWITCH



**Model: TES-SW01G**

## Specifications:

Model No.: TES-SW01G

Size: 85\*85\*42mm

Working voltage: AC 180V-280V;

Switch Type: Suit for TM Card Type

Maximum current: 40A

Maximum power: 6000W

Delay time: 8-15 seconds

Mechanical life: 15 years

Material: Plastic

Operation: Operate from TM card

# PROGRAMMABLE ENERGY SAVING SWITCH

## Specifications:

Model No.: TES-SW01G-PT

Size: 85\*85\*42mm

Working voltage: AC 180V-280V;

Switch Type: Suit for TM Card Type

Maximum current: 40A

Maximum power: 6000W

Delay time: 8-15 seconds

Mechanical life: 15 years

Material: Plastic

Operation: Operate from particular room number card and when the validity of card is expire lights will be automatically shut down.




**Model: TES-SW01G-PT**

# DIGITAL DOOR PLATE



*In field of electronic security  
products & solutions,  
Since 1997*



Model: TES-DP001CR

## Hotel Bell with LED Backlight, Crystal Panel

- Model: TESDP001CR
- Working voltage: 220V/110V/12V
- Service lifespan: up to 1,000,000 touch times
- Working temperature: -10 to 60°C
- Heavy current controlled by L-line
- Material: fire-resistant ABS
- Frame: tempered glass frame shell
- Colors: black and white
- Standard size of domestic wall switches
- Lower mechanical tear and wear
- Many exquisite pictures are available
- With LED backlight
- Whole screen touch technology
- Suitable for star hotel, hospital etc.

Functions includes:

1. Do not disturb
2. Make my room
3. Touch bell
4. Illuminated Hotel Name (Customized)



INDOOR SWITCH

# ABSORPTION MINI BAR



Model: TES-4001ABS

## FEATURES

Model No.: TES-4001ABS

Product Name : TES hotel room minibar

Cooling Method : Absorption technologies,  
ammonia water circle

Dimensions(mm) : L442\*W400\*H550

Colour: Black

Voltage: 65W, AC : 220V/60HZ, 110V/60HZ,  
DC12V

Energy Consumption: 0.9kwh/24h

Validity Capacity: 40L

Storage Temperature: 0~8°C

Door: Plastic solid door

# WALL MOUNTED HAND DRYER



Model: TES-HD002

## Specifications

Product Name : TES-HD002

Power rating : 1800W

Tamp. of wind : 60°C ± 20°C

Vilocity of wind : 12m/sec

Voltage rating : 220~

Acting distance : >50mm

Delay time : < 5sec.

# WALL MOUNTED HAIR DRYER



**TES Brand**

*In field of electronic security  
products & solutions,*

*Since 1997*



Model: TES-1200W

## Specifications:

- Model: TES-1200W
- Material: ABS plastic, Japan
- "MABUCHI" motor
- Power: 1200W, 220V, 50/60Hz
- Main power switch and micro switch on handle
- Hi/low air speed setting
- Specially equip over-heating and melting-off protection
- With extra power socket


# ELECTRIC KETTLE WITH TRAY



**TES Brand**

*In field of electronic security  
products & solutions,*

*Since 1997*



Model: TES-180KT

- 1) "STRIX" control, lock open lid.
- 2) Double wall stainless steel body
- 3) Maximum capacity: 1.2L
- 4) Power consumption: 220V~240V AC, 1500W; 50Hz~60Hz.
- 5) Auto shut off, dry boil protection
- 6) Boiling time: 3.5~4.5minutes (room temperature)
- 7) Large spout, optimized filter and steam vent, easy to clean
- 8) With plastic kettle tray

## DIGITAL SAFE



Model: TES-1005F

### 1. Product Description:

\*Operated by 3 to 8 digits combination code, the code is resettable by user.

\*Size -204\*305\*204

\* Two manual override keys for emergency use while you forgot the digital code.

\*Indication for lower-battery power, about the time to change the batteries. 4×"AA" (1.5V) batteries offered for free.

\* LED light flashes indicate different meanings.

### 2. Production Materials:

\* Cold rolled sheet steel for making door and body.

Door thickness: 3-10mm

Body thickness: 1-5mm

\* Keypad by PVC, the frontal panel by ABS.

\* Internal mechanical locking system by steel.

Colours: Black Finish

## ELEVATOR ACCESS CONTROLLER



Model: TES-EL-001

### Specifications:

Model No.: TES-EL-001

Power Supply: 12VDC

Current Consumption: 100mA

Card type: TM Card

Read Distance: 20~50mm

Input: Door button Signal

Output: NO/NC/COM. Wiegand 26

Size: 125mm x 75mm x 22mm

### Environment:

Working Temperature: -10~70°C

Storage Temperature: -25~125°C

Humidity: 5% ~ 95%

# AUTOMATIC SLIDING & ROLLING CURTAIN

TES BRAND'S motorized automatic sliding curtains adopts 220V / 50HZ AC motor.

- ❖ It is connected with wireless build-in receiver and compatible with different remote controller.
- ❖ It can also be operated manually once power off.
- ❖ Under the circumstance of power on, it will work by itself after pulling manually for 10cm.
- ❖ There is no need to set travel because it will stop automatically if blocked.
- ❖ Employing electrophoresis technology processing, the track works with less noise and smooth pulling. Its powerful functions and low voice are attributes to the high-tech processed track

## FEATURES:

- ✓ Wireless control
- ✓ Manual switch control
- ✓ Manual operating once power off
- ✓ Single control or group control



Model: TES-TS28TE



**TES Brand**

*In field of electronic security  
products & solutions,*

*Since 1997*



### Features:

Model No.: TES-DSF1028

door thickness: 35-55mm

Sensor resolution: Finger point: 360° Bright background, 500 dpi

Access Capacity: 150 Fingerprint users + 100 card users and unlimited keypad users.

Unlocking Ways : App + Fingerprint + Code +RF ID Card.

Material : Zinc alloy

Support : Support USB External Power Supply.

Work Volute : 4.5-6V

Power Supply : 4 pcs AA Battery

Weight : 2.0 KG

### Features:

Model No.: TES-DSF1028

door thickness: 35-55mm

Sensor resolution: Finger point: 360° Bright background, 500 dpi

Access Capacity: 50 Fingerprint users + 150 card users and unlimited keypad users.

Unlocking Ways : App + Fingerprint + Code +RF ID Card + Mechanical Key.

Panel Size : 249\*70\*22.3

Material : ABS + Stainless steel

Mortise : 5050

Support : Support USB External Power Supply.

Work Volute : 4.5-6V

Power Supply : 4 pcs AA Battery

Weight : 2.0 KG



**Model No: TES-D15B5**



**TES Brand**

*In field of electronic security  
products & solutions,  
Since 1997*

## Smart WiFi Switch

Touch Panel+Remote Control



- **Rated Voltage:** 5VDC
- **Wireless Working Frequency:** 433 MHz
- **Wireless Transmission Power:** ~10dbm
- **Receiving Sensitivity:** ~121dbm
- **Standby Power Consumption:** ≤500MW
- **Working Humidity:** ≤90%
- **Working Temperature:** -10 to 65 degree



# PRESS RELEASE



Pride of Bharat Award 2021 for “The Best Hospitality Products Suppliers of The Year” On 16<sup>th</sup> Jan 2021 @ Hotel Radisson Blu, Delhi, India.



At 12th Edition of Asian Business & Social Investor Forum 2018-19 & 4th Edition - India's Greatest Brands & Leaders 2018-19, Mr. Ajay Chaudhary, MD, Tekno Electro Solutions Pvt. Ltd. was honored and conferred 'India's Fastest Growing Brands & Leaders 2018-19' Award presented by AsiaOne Magazine and URS Media.

**Few more recent Milestones of TES Brand & Tekno Electro Solutions Pvt. Ltd.**

Recently, TES Brand have achieved Few Milestones in its progress. TES Brand honored with "INDIA'S FASTEST GROWING BRANDS AWARD" & Mr. Ajay Chaudhary (MD & CEO) has been honored with "INDIA'S FASTEST GROWING LEADERS AWARD" on 10th September 2019 at Hotel Taj Land End, Mumbai organized by AsiaOne magazine & URS Media the leading International Media house with a Business & News publication named as AsiaOne Magazine published in Asia, Middle East & UAE. Its really a proud Moment & Great Experience to receive awards from URS Media and AsiaOne.

**Most Innovative & Leading Company of the year - Electronic & Hospitality Products Award**

The reason behind this success of TES Brand is because Tekno Electro believes: "we have no hidden pricing, terms and provide the best possible service to our client". Mr. Ajay Chaudhary (MD & CEO) Tekno Electro Solutions Pvt. Ltd.) has own success Mantra, he says that "we can achieve our willingness with "4S" and these are Smart work, struggle, sacrifice and self belief, these "4S" with focused approach shall play a Key role in the success". These emoluments of TES Brand & Mr. Ajay Chaudhary is the best key example of this mantra.

TES Brand recently participated in one of famous international exhibition in hospitality named as "Food & Hotel India 2019 (FHIA)" in Mumbai organized by UBM India Pvt. Ltd., From this exhibition TES Brand strengthen their west central region of INDIA.

Tekno Electro has also honored with 'Most Innovative & Leading Company of the Year - Electronic & Hospitality Products Award' Presented by Mr. Sunil Shetty (Bollywood Actor) Organised by Bizn Media and Global Leaders Award at JW Marriott, Baku, Azerbaijan (Western Europe) on 17th Nov 2019.

It will help TES & Team Tekno to get Motivated and Encouraged to serve their Clients more better...

APSA NETWORK NEWS OCT-NOV 2019

An Interview of Mr. Ajay Chaudhary (M.D Tekno Electro Solutions) in International Magazine APSA NETWORK NEWS Nov-Dec 2019 Edition...

**Tekno Electro Solutions Pvt. Ltd.** Est. 1997  
Epinome of Quality, Excellence & Customer Satisfaction.

**INSPIRATION**

Tekno Electro Solutions Pvt. Ltd. is one of the premium solution providers in Hospitality Sector, Smart Home/Office Automation, Retail Security Solutions and Access Control Gate Automation & More...

We pay special homage to late **Shri T.C. Chaudhary (father of Mr. Ajay Chaudhary (MD))** whose inspiration helped us a lot to face challenging situations. In his journey of life, he crossed several milestones with his enthusiasm, willpower & Self-motivation in adverse situation.

**Our Mission**

"To provide superior quality Products and Services to our customers that our customers recommend us to their friends and dealers feel proud of being associated with us and employees feel dignified for being part of the Tekno Family"

**Our Basic Achievement**

"Become a trusted brand globally while supplying good quality and more durable products to our customers and providing skilled excellence in our services."

Tekno Electro Solutions Pvt. Ltd. has independent & strong research & development team in Delhi, India. We have pan India dealers and distributor network. We are also established in Middle East. Our tekno sales team regularly visit India & Abroad as Thailand, UAE, Oman, Sri Lanka, China, Bahrain etc. in different techno meets conferences & exhibitions. We believe in encouraging customers to contribute in the development and progression of brand in order to remain in the minds and hearts of consumers for a long run. Tekno products are innovative, tekno proven and competitive. We have not only designed the finest products at competitive prices but also have focused on 360 marketing. Our technical support team always ready to assist you for after sales service.

Tekno Electro Solutions Pvt. Ltd. has been conferred with many awards for its excellence. We are honored "Best Company of Hotel Locks & Hospitality Products Award" recently. Government of India (ITPO) selected us to take part in "INTEXTOD 2018-Vienna-Austria (Europe) INTERSEC-DUBAI-2018" and we are the only company in Hotel Locks & Hospitality Products among twelve companies. Our USP is to offer professionalism, authenticity & innovation through its security, delivery & services which reflects in our Mission & Vision.

sales@teknoelectro.com

APSA NETWORK NEWS AUG-SEP 2018

An Interview of Mr. Ajay Chaudhary (M.D Tekno Electro Solutions) in International Magazine APSA (Asian Pacific Security Association) Aug - Sep 2018 Edition...

OUR OVERSEAS PRESENCE


UAE



BANGLADESH



BHUTAN



NEPAL



PNG



TANZANIA



HOTEL NEW MAJESTIC



# TEKNO ELECTRO SOLUTIONS PVT. LTD.

info@teknoelectro.com | sales@teknoelectro.com | www.teknoelectro.com

Regd. Office Delhi: CSC-3, Office No.24, Sector-5, Rohini, Delhi-110085  
+91-11-27042055, +91-9266677544/33/22

Branch Office Dehradun: Opp. Doon University Main Gate,  
Kedarpuram, Dehradun, Uttrakhand (INDIA)

UAE: c1-515j, Ajman FZE, Ajman, United Arab Emirates (UAE), +971-581208646

